5

10

-20-

CLAIMS

What is claimed is:

_	4 701			
1.	Δ tihre	channel	ewitch	comprising
1.	A 11010	CHAINC	SWILCH	COMBUISING

a plurality of input/output modules, each input/output module having a plurality of fibre channel ports;

a plurality of fabric switch modules forming at least one fabric switch to provide connections between the fibre channel ports; and

a backplane receiving the first plurality of input/output modules and the plurality fabric switch modules, the backplane having connectors to provide connectivity between the input/output modules and fabric switch modules; and

a first set of connections through the backplane between the first input/output modules and one of the fabric switch modules.

- 2. The fibre channel switch of Claim 1 wherein the first set of connections are connections between the at least one switch and the input/output modules.
- 15 3. The fibre channel switch of Claim 2 wherein the fibre channel switch is a single chassis switch providing up to 64 fibre channel ports.
 - 4. The fibre channel switch of Claim 1 further comprising a second backplane having a second plurality of input/output modules and a second plurality of fabric switch modules.
- 20 5. The fibre channel switch of Claim 4 wherein the connectors of the backplane and the second backplane are configured to provide a second set of connections between the second plurality of input/output modules and the at least one fabric switch of the backplane.

-21-

- 6. The fibre channel switch of Claim 5 wherein the second set of connections comprise jumper plugs.
- 7. The fibre channel switch of Claim 5 wherein the first and second sets of connections provide up to 128 fibre channel ports.
- 5 8. The fibre channel switch of Claim 4 further comprising third and fourth backplanes having third and fourth pluralities of input/output modules.
 - 9. The fibre channel switch of Claim 8 further comprising third and fourth sets of connections between the at least one switch and the third and fourth input/output modules respectively to provide up to 256 fibre channel ports.
- 10 10. The fibre channel switch of Claim 1 wherein each fabric switch module provides a switch having 16 x 16 switch connectivity.
 - 11. The fibre channel switch of Claim 1 wherein said fabric switch modules are logically arranged to provide two switches.
- 12. The fibre channel switch of Claim 1 wherein said fabric switch module receive fibre channel frames at speeds of at least one gigabit per second.
 - 13. The fibre channel switch of Claim 1 wherein at least one of the plurality of fabric switch modules is a redundant fabric switch module.
 - 14. The fibre channel switch of Claim 1 wherein the first set of connections is provided by through backplane pins.

- 15. The fibre channel switch of Claim 1 wherein the plurality of fabric switch modules are crossbar switches.
- 16. A fibre channel switch comprising:

a chassis including:

5

a plurality of input/output modules, each input/output module having a plurality of fibre channel ports;

a plurality of fabric switch modules forming at least one switch to provide connections between the fibre channel ports; and

a backplane receiving the plurality of input/out modules and the fabric switch modules, the backplane having connectors to provide connectivity between the input/output modules and the fabric switch modules.

10

15

- 17. The fibre channel switch of Claim 16 wherein the connectors provide two sets of connections between each input/output module and the plurality of fabric switch modules.
- 18. The fibre channel switch of Claim 17 wherein each fabric switch module provides two switches, each switch having one of said two sets of connections to the input/output modules.
- The fibre channel switch of Claim 18 wherein the fibre channel switch is a
 single chassis providing up to 64 fibre channel ports.
 - 20. The fibre channel switch of Claim 17 further comprising a plurality of loopback plugs for one of said two sets of connections.

- 21. The fibre channel switch of Claim 16 further comprising a second chassis to provide up to 128 fiber channel ports.
- 22. The fibre channel switch of Claim 19 wherein each fabric switch module provides one switch.
- The fibre channel switch of Claim 21 wherein the connectors are configured to provide a first set of connections between the input/output modules and the fabric switch modules of the chassis and a second set of connections between input/output modules of the second chassis and the fabric switch modules of the chassis.
- The fibre channel switch of Claim 23 wherein the second set of connections comprise a plurality of jumper plugs.
 - 25. The fibre channel switch of Claim 16 further comprising three chassis to provide up to 256 fibre channel ports.
- The fibre channel switch of Claim 16 wherein a plurality of connectors in each chassis are horizontal fabric switch connectors providing horizontal connectivity to the at least one switch.
 - 27. The fibre channel switch of Claim 25 wherein the at least one switch in each chassis has one set of connections to the input/output modules of each chassis.
- The fibre channel switch of Claim 27 wherein at least one switch has permanent, vertical, horizontal, and diagonal connections to the input/output modules of each chassis.

- 29. The fibre channel switch of Claim 16 wherein a plurality of connectors in each chassis are diagonal fabric switch connectors providing diagonal connectivity to the at least one switch.
- 30. A method for expanding a director switch comprising:
- providing an identical number of user ports and fabric switch ports;
 matching the user ports and the fabric switch ports to deliver frames to a
 desired destination port;

configuring the user ports using a cable, so as to at least double the capacity of the director switch.

- 10 31. The method of Claim 30 wherein the director switch comprises a fibre channel switch.
 - 32. The method of Claim 30 wherein providing an identical number of user ports and fabric switch ports includes logically coupling two fabric switch modules into one fabric switch module.
- 15 33. The method of Claim 30 wherein providing an identical number of user ports and fabric switch ports includes coupling another chassis having a plurality of input/output modules and a plurality of fabric switch modules.